



New model !
Electric control



See more

www.rammy.fi



[YouTube video](#)



 English

Rammy brochure 2018-

CONTENTS :

- Products
- Mounting for ATV
- Service
- Sales



 English


rammy@rammy.fi



Product package



Standard content



1	Flailmower
2	Adjustable auxiliary device frame
3	Mounting plate
4	Remote control

Flail mower 120 ATV

code number

Standard (Y-blades)

74130464



Hammer Blades 22 pcs

74130507



Side shift kit


74130717



Lock hook mounting 16/19 mm 2 pcs

74130298

Standard content



1	Snowblower
2	Electric control
3	Adjustable auxiliary device frame

Snow blower 120 ATV EC

code number

306 cm3 engine
electric start, electric control

74131062



Lock hook mounting 16/19 mm 2 pcs

74130298



Center mounting kit, Mounting bracket
universal

75-12483



Flail mower 120 ATV

When a typical lawnmower is not enough!

The Rammy Flail mower 120 ATV is an agile mower for cutting hay, meadow grass and small trees. With Rammy's front cutter you can cut grass on lawns, meadows and roadsides, efficiently and effortlessly. The Flail mower has its own engine.

It is possible to move the cutter 37 cm to the left, if it is fitted with a [SIDE SHIFT KIT](#). (optional).

With the adjustable frame, this Flail mower is suitable for almost all 4x4 ATV-s. If the [CENTER MOUNTING KIT](#) is on the bottom of your ATV, Rammy can be used with existing fasteners.

The Flail mower can also be attached with a [LOCK HOOK 16-19 mm](#). (optional).



Specifications

Measure	Width 120 cm Length 79 cm
Cutting width	100 cm
Weight	Mower 95 kg Auxiliary device frame 20 kg.
Engine	Briggs&Stratton 1450. 305 cm ³ . Power 9 hv
Transmission	The two belts. Neutral position switch
Blades	Y-blades as standard for general use. Optional items hammers the finished cut. The blades give way to rocks, trees, etc. The drum speed 3000 r / min.
Cutting height	2 to 10 cm adjustable tire bicycles. Greater height adjustable winch.
Installation for ATV	The auxiliary device ATV frame mounting kit with two pins.
Lift / decline	ATV winch
Package Contents	Mower, auxiliary device, remote control, mounting plate, owner manual and spare parts manual
Shipping Package	Eur-pallet 80 x 120 x 100 cm. Weight 125 kg.
Warranty	1 year



Flail mower 120 ATV features



Front-mount flail mower.
The Rammy is positioned in front of the ATV, so visibility and manoeuvrability are excellent. Cutting height adjustment: 2-10 cm with the front wheels and the back roller. Even higher with a winch.



Lightweight and compact.
Rammy is lifted with the ATV's winch. The flail mower is attached to the ATV with two locking pins, to the centre mounting kit, like the snow plate (center mounting kit, behind the front axle underneath the ATV).




Briggs&Stratton engine.
The B&S 305 cm3 engine and the maintenance-free double belt transmission make the flail mower an efficient and reliable machine.



You can choose the suitable blades.
Y-blades for rough use included in the standard flail mower delivery. Available accessories (pictured): hammer blades for a fine cutting result.



More possibilities with the sideshift kit.
If the mower is fitted with a sideshift kit (optional), the cutter can be moved 37 cm to the left during operation.



Ready-to-use package.
The flail mower comes in a ready-to-use package.
1 flail mower
2 adjustable accessory frame
3 mounting plate
4 remote control.
Every unit has been test-driven and inspected.

Optional:



Side shift kit to move the cutter to the left side 37 cm




Blades

Y-knives 44 pcs (standard)

Hammer blades 22 pcs (optional)




Lock hook mounting
Arctic-Cat, Can-Am, Polaris and Click&Go
Ø16/19 mm for pin





Flail mower 120 ATV features





Snowblower 120 ATV EC

Don't let the snow get too high! The Rammy Snowblower 120 ATV is an agile and efficient snowblower for your ATV. With this machine, you can finish all snow works quickly. The snowblower is suitable for small gardens and long driveways. The Rammy ATV snowblower is lightweight and compact, so your ATV manoeuvrability and off-road performance will remain good. The snowblower also works in wet snow. The snowblower has its own engine.

With the adjustable frame, this snowblower is suitable for almost all 4x4 ATV-s. If the [CENTRE INSTALLATION KIT](#) is on the bottom of your ATV, Rammy can be used with existing fasteners.

The snowblower can also be attached with a [LOCK HOOK 16-19 mm](#). (optional). Like Can-am, Arctic Cat, Polaris or Click&Go2.



Specifications (Electric Control, 306 cm³ engine)

Clearing width	1,18 m
Length	0,5 m
Weight	Snowblower 100 kg Auxiliary device frame 20 kg
Height of loading chute	550 mm
Snow throwing distance	1-10 m
Method of moving/throwing snow	Single-stage double-threaded blower. The impeller uses the MDS (Minimum Distance Space) technique, which provides maximum throwing power. Max rotating speed is 900 r/min. Throwing plate is rigid and flexible rubber that dodge the rocks and other hard objects.
Engine	Briggs&Stratton Snow Series 1450 winter engine. Torque 20 Nm. 306 cm ³ .
Start	Easy pull start Electric start 230 V
Fuel consumption	1...2 L/h
Attachment to ATV	Mount brackets with holes on dozer blade on ATV, hole Ø10mm adjustable width of mount bracket 240-500mm (outer dimension) and the adjustable length is 750-1250mm.
Lift / decline	Winch of ATV
Remote control	Electrical, 3-function, shutdown ON-OFF, turning of discharge chute, control of angle of end of discharge chute
Standard equipment	Accessory frame, Adjustable skis, Remote control, Replaceable and adjustable scraper blade, ice removal tool
Capacity	750 cubic meters / hour. Equivalent to 5km/h of 14 cm of snow at full width.



Snowblower 120 ATV EC features




Lightweight and compact.
The Snowblower 120 ATV is lightweight and compact. The snowblower is agile and efficient. The snowblower is lifted with the ATV's winch, making it easy to use even in a small garden.



Dual snow auger.
The snowblower has a dual snow auger, which makes the snowblower short. The snow auger has a rubber sheet fuse, which minimises damage in collisions with rocks or hard objects.



Briggs&Stratton 306 cm3 engine, Electric start 230 V




Quick connection with pins.
Rammy is attached to the base of the ATV with two locking pins, using a centre mounting kit . The attachment is the same as in the snow plate (centre mounting kit).



Also works in wet snow.
The unique MDS technology enables to have great functionality also in wet snow. The snow blower has a Briggs&Stratton 306 cm3 winter engine.




Electrical remote control.
The snowblower has a remote control with the following selections: rotation and angle of the discharge chute and turning off.



Ready-to-use package.
The Rammy snowblower comes in a ready-to-use package.
1 Snowblower
2 remote control
3 adjustable accessory frame.
Every unit has been test-driven and inspected.

Optional:


Lock hook mounting
Arctic-Cat, Can-Am, Polaris and Click&Go
Ø16/19 mm for pin





RAMMY


Snowblower 120 ATV EC





Snowblower and Flailmower mounting for ATV

The Rammy is positioned as close as possible to the ATV. The front suspension of the ATV will usually weigh down by 3 - 7 cm when the Rammy is lifted to the top position. Pressure is added to the front tyres, and the front suspension is positioned in a more rigid position, which results in a higher ground clearance. If necessary, a counterweight bag could be placed on the rear rack, for example.






Service

RAMMY product deliveries include a user manual and spare parts catalogue, as well as maintenance instructions.

Authorised dealers are in charge of spare parts sales, maintenance works and warranty repairs for RAMMY products.



Sales

RAMMY products are sold by authorised dealers, shown at www.rammy.fi
RAMMY products are also sold directly from the factory.

